SEKISUI





With a combination of support brackets and pipe support members, workability of the drain-up part is further improved!

If the ceiling hanging bracket cannot be used, continuous thread orthogonal brackets, piping support members and continuous thread studs (commercially available) can be used.



AC DRAIN flexible unit lineup



Support bracket lineup



A Precautions for using the AC DRAIN flexible unit

- Dedicated to drain-up piping for commercial air conditioners. Please do not use it for other purposes.
- Do not pull or bend the fitting on the fulcrum.
- The minimum bending radius of the insulating flexible pipe should be at least 110 mm.
- Do not apply excessive force to the fitting connection part.
- •When standing up the AC DRAIN flexible unit from the air conditioner, refer to the instruction manual of the air conditioner manufacturer. Be careful not to stand up more than the capacity of the machine.
- When connecting to the air conditioner connection port, check the specifications of the air conditioner manufacturer before connecting.
- •Do not flush chemicals (surfactants, organic solvents, acids, alkalis, etc.) or solids other than air-conditioned drain water.
- ●For actual construction, be sure to refer to the enclosed construction manuals and the catalog and technical data of ESLON[™] AC DRAIN pipe/fitting.

SEKISUI CHEMICAL CO., LTD. Building & Pipe Systems Division

2-10-4 Toranomon Minatoku, Tokyo, 105-8566 Japan TEL +81-3-6748-6489 FAX +81-3-6748-6553

SEKISUI SINGAPORE PTE. LTD.

7500A Beach Road, #12-306 The Plaza, Singapore 199591 TEL +65 6296 3788

A transparent fitting allows visual confirmation

Visual confirmation of adhesive connection is possible in combination with colored adhesive. Also, water flow can be confirmed on the equipment-side elbow.



* The above photo is an example of using Adhesive No.73S Blue

ESLON TIMES https://eslontimes.com/en/ No. 05964 2022.7.0TH TX